

FIG 4




FIG 5

FIG. 6 is a perspective view of the inner cover plate 90, showing the bracket 91 and the hinge 92. The bracket 91 is shown in a detail view in FIG. 7. The hinge 92 is shown in a detail view in FIG. 8.





FIG. 7

FIG. 6

FIG. 8 is a perspective view of the device in accordance with the present invention, showing the device in a closed position. The device is a rectangular box with a lid. The lid is hinged to the front panel. The device is shown in a perspective view, with the lid closed. The device is shown in a perspective view, with the lid closed.





FIG. 8







File 10



FIG. 11



[illegible][illegible]

Handwritten text, possibly a title or reference, located at the top of the page.




FIG 15




FIG 14

FIG. 16




FIG. 16

FIG. 17 is a perspective view of the device of FIG. 16, showing the device in a closed position. The device is shown in a perspective view, and the components are labeled with reference numerals. The device is shown in a closed position, and the components are labeled with reference numerals.




FIG-18

205

11 →

200




FIG. 19




FIG. 20




FIG. 20



FIG 21




FIG. 22 is a perspective view of the device in accordance with the present invention, showing the device in a folded position. The device includes a handle 310, a shaft 320, and a base 330. The handle 310 is connected to the shaft 320, which is connected to the base 330. The device is shown in a folded position, with the handle 310 and the shaft 320 being folded against the base 330.




FIG. 22

FIG- 23





FIG. 24



10




440  
wireless  
transmitter

440  
wireless  
transmitter

420

420  
wireless  
transmitter



11

400



121

123

12  
spring  
loaded

FIG 25

FIGURE 26

14 ✓



Handwritten text, possibly a date or reference number, located vertically on the left margin.




FIG 27




FIG 28




FIG 29



FIG. 30 is a plan view of the device of FIG. 29, showing the arrangement of the four rectangular openings in the central portion of the device.




FIG. 30